according to 1907/2006/EC, Article 31

Printing date 12.05.2010 Revision: 12.05.2010

## 1 Identification of substance:

- · Product details:
- · Trade name: DEUTZ CLEAN DIESEL InSyPro
- Application of the substance / the preparation: Additive

Manufacturer/Supplier:

FUCHS EUROPE SCHMIERSTOFFE GMBH

EXPORT DIVISION

Friesenheimer Str. 15

D-68169 Mannheim

Tel: ++49 (0)621/3701-0 (Switch Board) Fax: ++49 (0)621/3701-570

· Informing department:

Product safety department Tel: +49 (0)621 3701-1333 or -1313 E-Mail: Produktsicherheit@fuchs-europe.de

• Emergency information: Tel: +49 (0)621 3701-1333 or +49 (0)621 3701-0 (Switch Board)

## 2 Hazards identification

#### Hazard designation:

By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept.

Information pertaining to particular dangers for man and environment

This product is water polluting; see item 12.

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## 3 Composition/information on ingredients

- Chemical characterization
- · Description: Mixture of synthetic base oils with additives.

#### Dangerous components:

R-phrases

EINECS: 204-327-1 Phenolic antioxidant R 53

10-15%

EINECS: 265-198-5 Solvent naphtha Xn, N; R 51/53-65-66-67

2.5-5% 0.1-1%

Pseudocumene

Xn, Xi, № N; R 10-20-36/37/38-51/53

Naphthalene

0.1-1%

Xn, N; R 22-40-50/53

· Additional information

For the wording of the listed risk phrases refer to section 16.

# 4 First aid measures

# General information

Change clothes and shoes contaminated or soaked by the product.

Never put rags contaminated by the product into cloth-pockets.

- After inhalation Seek medical treatment in case of complaints.
  After skin contact The product is not skin irritating.
- · After eye contact Rinse opened eye for several minutes under running water.
- $\cdot$  After swallowing Seek medical treatment.

## 5 Fire fighting measures

## Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- Protective equipment:

In case of fire fighting: wear self containing breathing apparatus

#### 6 Accidental release measures

· Person-related safety precautions:

Particular danger of slipping on leaked/ spilled product.

Environmental protection measures:

Inform respective authorities in case product reaches water or sewage system. Do not allow to enter drainage system, surface or ground water. Prevent from spreading (e.g. by binding or oil barriers).

Do not allow to enter the ground/ soil.

(Contd. on page 2)

according to 1907/2006/EC, Article 31

Printing date 12.05.2010 Revision: 12.05.2010

## Trade name: DEUTZ CLEAN DIESEL InSyPro

(Contd. of page 1)

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

#### 7 Handling and storage

- Handling
- Information for safe handling:

Prevent formation of aerosols.

Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products.

Information about protection against explosions and fires: Do not heat up to temperatures close to the flash point.

- Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Local regulations concerning handling and storage of waterpolluting products have to be followed.

## 8 Exposure controls and personal protection

· Additional information about design of technical systems:

No further data; see item 7.

- · Components with critical values that require monitoring at the workplace:
- Additional information:

The lists that were valid during the compilation were used as basis.

- Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to in handling

the chemicals and the mineral oil products. Wash hands during breaks and at the end of the work.

Avoid close or long term contact with the skin.

Use skin protection cream for preventive skin protection. • Breathing equipment: Not required.

- · Protection of hands: Protective gloves and protective skin cream.
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- Neoprene gloves
- Not suitable are gloves made of the following materials:

Butyl rubber, BR Natural rubber, NR

- Eye protection: Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

# 9 Physical and chemical properties:

· General Information

Fluid Form. Colour: Brown

Smell: Characteristic

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: not applicable or not determined

(Contd. on page 3)

according to 1907/2006/EC, Article 31

Printing date 12.05.2010 Revision: 12.05.2010

Trade name: DEUTZ CLEAN DIESEL InSyPro

(Contd. of page 2)

· Flash point: Not applicable

· Self-inflammability: Product is not selfigniting. · Danger of explosion: Product is not explosive. · Density at 15°C  $0.907 \text{ g/cm}^3 \text{ (DIN 51 757)}$ 

· Solubility in / Miscibility with

Not miscible or difficult to mix

· Viscosity or Consistency-Class:

kinematic at 40°C:  $6.7 \text{ mm}^2/\text{s} \text{ (DIN 51 562)}$ 

## 10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Materials to be avoided:
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition: No dangerous decomposition products known

#### 11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect known.
- on the eye: No irritant effect known.
- · Sensitization: No sensitizing effect known.

## 12 Ecological information:

- · Behaviour in environmental systems:
- · Mobility and bioaccumulation potential: No data available
- · Ecotoxical effects:
- Remark: Harmful to fish
- · Behaviour in sewage processing plants: The product swims on the water surface.
- · Additional ecological information:
- General notes:

German Water Endangering Class 2 (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil.

Harmful to aquatic organisms

## 13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Delivery of waste oil only to offically authorized collectors.

· European waste catalogue

13 02 06\* synthetic engine, gear and lubricating oils

- · Uncleaned packagings:
- · Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. Small one-way packagings have to be disposed according to the local regulations. EWC 15 01 99.

#### 14 Transport information

- Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)
- · ADR/RID-GGVS/E Class:
- · Maritime transport IMDG/GGVSea:
- · IMDG/GGVSea Class:
- · Marine pollutant: Nο

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 12.05.2010 Revision: 12.05.2010

Trade name: DEUTZ CLEAN DIESEL InSyPro

(Contd. of page 3)

- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class:
- · Transport/Additional information:

No dangerous good acc. to dangerous goods/ transport directions.

#### 15 Regulatory information

## Designation according to EU guidelines:

Observe the normal safety regulations when handling chemicals or

mineral oil products.

The product has been classified and labelled in accordance with EC Directives until 2004/73/EC (29. ATP).

#### · Risk phrases:

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### · Safety phrases:

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

#### · National regulations

## German Water Hazard Class:

Water Endangering Class 2 (Self-assessment): hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57 out of the recent list: none

## 16 Other information:

All ingredients are listed in the European Inventories.

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This data sheet is a safety data sheet according to 1907/2006/EC, article 31. For products which are not subject to classification according to EU lists this data sheet is made on a voluntary base.

# Relevant R-phrases for the hazardous components in item 3

- 10 Flammable.
- Harmful by inhalation. Harmful if swallowed. 20
- 2.2
- 36/37/38 Irritating to eyes, respiratory system and skin. 40 Limited evidence of a carcinogenic effect.
- 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- May cause long-term adverse effects in the aquatic environment. 53
- Harmful: may cause lung damage if swallowed. 65
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

## · Department issuing data specification sheet:

FUCHS EUROPE SCHMIERSTOFFE GMBH Export Division

Product Safety Departement

#### · Contact:

Product Safety Departement: Tel: +49(0)621 3701-1333

#### Validity:

With this latest edition of this MSDS all former editions are not

valid any longer.

Changed items are marked with "\*".